



PAKISTAN NOTICES TO MARINERS

WEEKLY EDITION 08

Notice: 29 – 30/21

27 FEB 2021

Copies of these Notices can be obtained gratis from Mercantile Marine Department and PN Chart Depot / NAVAREA IX Headquarters, 11 Liaquat Barracks Karachi. The same can be downloaded from web: www.paknavy.gov.pk/hydro.

CONTENTS

- I NOTICES TO MARINERS
- II REPRINTS OF RADIO NAVIGATIONAL WARNINGS
- III CORRECTIONS TO SAILING DIRECTIONS
- IV MARINE INFORMATION

Mariners are requested to inform the Hydrographic Department, Naval Headquarters, 11 Liaquat Barracks, Karachi, Pakistan, immediately on the discovery of new dangers, or suspected dangers to navigation and of changes or defects in aids to navigation noticed in NAVAREA IX and of shortcomings in PAK charts or publications.

Tel : + 92-21-48506151
+ 92-21-48506152
Fax : + 92-21-99201623
+ 92-21-35867737

E-mail : hydropk@paknavy.gov.pk
hydropk@gmail.com

Web : www.paknavy.gov.pk/hydro.

MUHAMMAD KHALID
Commodore
Hydrographer

Hydrographic Department, Naval Headquarters, 11 Liaquat Barracks, Karachi 75530, PAKISTAN

PART – I
NOTICES TO MARINERS

29/21 EGYPT - Red Sea Coast - Depth.**BA Chart 333 (INT 7135)** [*previous update 1270/20*] WGS84 DATUM

Insert depth, 7, enclosed by 10m contour 28° 07′.48N., 33° 17′.82E.

Source: Admiralty Notice to Mariners No. 883/2021.

30/21 PAKISTAN - Depths.*Note:* Former Notice 2697(T)/19 (PAK Notice 93(T)/19) is cancelled.**BA Chart 38 (INT 7019) (Panel A, Gwādar)** [*previous update 5366/20*] WGS84 DATUM

Insert depth, 11, enclosed by 2m contour 25° 10′.80N., 62° 15′.97E.

BA Chart 38 (INT 7019) [*previous update 5366/20*] WGS84 DATUM

Insert depth, 11, enclosed by 2m contour (a) 25° 10′.8N., 62° 16′.0E.

Delete depth, 25, close N of: (a) above

Source: Admiralty Notice to Mariners No. 832/2021.

PART – II
RADIO NAVIGATIONAL WARNINGS

065/21. SELF CANCELLING. Cancel Navarea IX warning 041 of 2021.**066/21. QATAR.** Al Shaheen Field. Charts BA 2523, 2837, 2847 and 2886. Geophysical survey Al Shaheen Field in progress in the area bounded by following positions:

26-34.23N 051-48.56E
 26-34.23N 051-50.39E
 26-31.35N 051-50.39E
 26-31.35N 051-48.56E

Mariners are requested to navigate with caution and give wide berth.

067/21. SOUTHERN GULF. U A E. Charts BA 2837, 2858 and 2889. Seismic survey is being conducted in area bounded by:

Crew 209 Area:

24-08.31N 051-48.16E
 24-08.31N 052-02.00E
 24-03.08N 052-02.00E
 24-03.08N 051-48.16E

Crew 252 Area:

Node Spread Area
 25-28.26N 054-13.95E
 25-28.21N 054-16.52E
 25-18.18N 054-27.62E
 25-18.48N 054-13.69E

Shooting Area

25-25.76N 054-19.23E
 25-14.70N 054-31.43E
 25-14.99N 054-18.94E

Crew 253 Area:

Source Operation Area
 25-04.83N 053-05.67E
 25-04.83N 053-14.65E
 25-02.76N 053-14.65E
 25-02.76N 053-05.67E

Receiver Operation Area

25-07.87N 053-09.29E
 25-07.87N 053-14.66E
 24-59.60N 053-14.66E
 24-59.60N 053-09.29E

Mariners are advised to navigate with caution and to maintain a listening watch on channels 16/72 and 76. Cancel this message on 282359 UTC Feb 2021.

- 068/21. CENTRAL GULF.** Iran. Qatar. Charts BA 2837, 2847, 2883 and 2886. US military ships and aircraft will carry out live fire exercise including high and low flying between 0500 – 1500 UTC on 24 and 25 Feb 2021 in area bounded by following positions:

26-44.00N 051-48.00E
 27-10.00N 051-54.00E
 27-34.00N 051-13.00E
 27-10.00N 051-00.00E

Ships and craft are to keep well clear of assigned danger area on above specified schedule. Cancel this message on 251600 UTC Feb 2021.

- 069/21. SOUTHERN GULF.** UAE. Charts BA 2443, 2444, 2889 and 3178. Mubarraz channel approach buoy in position 24-57.32N, 053-18.35E reported unlit. Mariners are requested to navigate with caution.

- 070/21. SELF CANCELLING.** Cancel Navarea IX warning 058 of 2021.

- 071/21. SELF CANCELLING.** Cancel Navarea IX warning 463 of 2020.

- 072/21. SOUTHERN GULF.** UAE. Charts BA 2443, 2837, 2889 and 3178. Seismic survey operations will be conducted within Zirkuh Tanker East Anchorage from 26 Feb 21 in area bounded by following positions:

24-56.80N 053-08.76E
 24-56.80N 053-11.00E
 24-54.76N 053-11.00E
 24-54.76N 053-08.76E

Seismic equipment will be deployed in the indicated area. All vessels bounded to Zirkuh tanker east may use the Zirkuh tanker north anchorage. Mariners are requested to navigate with caution and maintain a listening watch on VHF channel 12/23 (Das port control/ VTIS).

- 073/21. NORTHERN GULF.** Kuwait. Charts BA 1229, 1235, 2847 and 2884. Prohibited security zone of 500 meters established around the position 29-45.56N 048-29.79E at Fasht Al Ayk. Mariners are requested to navigate with caution and permission must be obtained before entering the area if necessary.

- 074/21. ARABIAN SEA.** Pakistan. Charts PAK 33, 57 (INT 751), 58 (INT 7019), BA 38 and 707. Naval ships will carry out surface, anti aircraft and depth charge live firing practice between 0400 to 1700 UTC from 01-05, 08-12, 15-19, 22, 24-26 and 29-31 Mar 2021 in following areas:

a.

24-19.00N 066-58.00E
 24-00.00N 066-39.00E
 24-11.00N 066-27.00E
 24-24.30N 066-42.00E

b.

24-36.02N 063-15.03E
 24-36.02N 062-30.03E
 24-21.02N 063-15.03E
 24-21.02N 062-30.03E

c.

24-36.02N 062-30.03E
 24-36.02N 061-45.03E
 24-21.02N 062-30.03E
 24-21.02N 061-45.03E

d. Depth Charge Firing Area

24-16.18N 066-20.50E
 24-22.00N 066-27.00E
 24-16.30N 066-33.00E
 24-10.30N 066-27.00E

Ships and craft are to keep well clear of assigned danger area on above specified schedule. Cancel this message on 311800 UTC Mar 2021.

- 075/21. PAKISTAN.** Sonmiani Bay. Charts PAK 22, 33, 57 (INT 751), BA 38, 39 and 707. Firing practice with live ammunition by Air Defence units will be carried out from 01 to 07 Mar 2021 between 0200-1800 UTC in area bounded by an arc of radius 10 NM centered at position 25-11N 066-45E between 220 to 310 degrees clockwise. Ships and craft are to keep well clear of assigned danger area on above specified schedule. Cancel this message on 071900 UTC Mar 2021.

076/21. RED SEA. Yanbu. BA Charts 158, 159 and 327. An area bounded by the following positions designated as operational Ship to Ship transfer (STS) area:

- 24-05.14N 037-36.49E
- 24-05.33N 036-59.49E
- 24-09.88N 036-58.66E
- 24-13.62N 037-19.47E
- 24-10.24N 037-35.90E

Vessels conducting sts operations will be underway at slow speed and restricted in their ability to manoeuvre. Mariners are requested to navigate with caution and give wide berth.

077/21. SELF CANCELLING. Navarea IX Warnings inforce:

- 2019 Series: 096, 126, 146, 221, 381 and 393.
- 2020 Series: 004, 018, 035, 078, 150, 178, 184, 209, 215, 222, 225, 238, 266, 270, 277, 336, 350, 379, 384, 387, 394, 406, 408, 409, 431, 449, 451 and 466.
- 2021 Series: 002, 003, 008, 024, 025, 033, 049, 050, 058, 059, 066, 067, 069, 072, 073, 074, 075 and 076.

COASTAL WARNING

022/21. ARABIAN SEA. Pakistan. Charts PAK 33, 57 (INT 751), 58 (INT 7019), BA 38 and 707. Naval ships will carry out surface, anti aircraft and depth charge live firing practice between 0400 to 1700 UTC from 01-05, 08-12, 15-19, 22, 24-26 and 29-31 Mar 2021 in following areas:

a.

- 24-19.00N 066-58.00E
- 24-00.00N 066-39.00E
- 24-11.00N 066-27.00E
- 24-24.30N 066-42.00E

b.

- 24-36.02N 063-15.03E
- 24-36.02N 062-30.03E
- 24-21.02N 063-15.03E
- 24-21.02N 062-30.03E

c.

- 24-36.02N 062-30.03E
- 24-36.02N 061-45.03E
- 24-21.02N 062-30.03E
- 24-21.02N 061-45.03E

d. Depth Charge Firing Area

- 24-16.18N 066-20.50E
- 24-22.00N 066-27.00E
- 24-16.30N 066-33.00E
- 24-10.30N 066-27.00E

Ships and craft are to keep well clear of assigned danger area on above specified schedule. Cancel this message on 311800 UTC Mar 2021.

023/21. PAKISTAN. Sonmiani Bay. Charts PAK 22, 33, 57 (INT 751), BA 38, 39 and 707. Firing practice with live ammunition by Air Defence units will be carried out from 01 to 07 Mar 2021 between 0200-1800 UTC in area bounded by an arc of radius 10 NM centered at position 25-11N 066-45E between 220 to 310 degrees clockwise. Ships and craft are to keep well clear of assigned danger area on above specified schedule. Cancel this message on 071900 UTC Mar 2021.

024/21. SELF CANCELLING. Navigational Warnings Inforce:

- 2019 Series: 111 and 113.
- 2020 Series: 057, 065, 110, 125, 133 and 143.
- 2021 Series: 012, 022 and 023.

WPGs Inforced 2021: 11 and 12
 WPGs cancelled 2021: 06

TEMPORARY AND PRELIMINARY NOTICES

In Force 19 February 2021

(Former In Force List dated 22 January 2020 is cancelled)

Inforce: 55(T)/13, 92(T)/13, 92(T)/14, 124(P)/15, 158(T)/15, 21(P)/16, 42(P)/16, 51(T)/16, 136(P)/16, 150(P)/16, 173(P)/16, 194(P)/16, 200(P)/16, 16(P)/17, 21(P)/17, 35(P)/17, 56(P)/17, 57(P)/17, 63(P)/17, 76(P)/17, 83(P)/17, 99(T)/17, 111(P)/17, 115(P)/17, 126(P)/17, 129(P)/17, 140(T)/17, 169(T)/17, 176(T)/17, 184(P)/17, 03(P)/18, 04(P)/18, 42(P)/18, 57(T)/18, 76(P)/18, 83(P)/18, 101(T)/18, 110(P)/18, 118(P)/18, 122(P)/18, 129(P)/18, 131(P)/18, 157(P)/18, 173(P)/18, 184(P)/18, 188(T)/18, 05(P)/19, 06(P)/19, 27(P)/19, 33(P)/19, 55(P)/19, 65(P)/19, 73(T)/19, 74(P)/19, 75(T)/19, 77(T)/19, 78(T)/19, 81(P)/19, 82(P)/19, 92(P)/19, 105(P)/19, 107(P)/19, 108(P)/19, 110(P)/19, 112(P)/19, 136(T)/19, 159(P)/19, 173(T)/19, 189(P)/19, 202(T)/19, 203(T)/19, 204(P)/19, 208(P)/19, 213(T)/19, 214(P)/19, 229(T)/19, 234(T)/19, 04(P)/20, 05(P)/20, 22(P)/20, 38(T)/20, 46(P)/20, 47(P)/20, 48(P)/20, 49(P)/20, 58(T)/20, 65(T)/20, 67(P)/20, 74(P)/20, 80(P)/20, 87(T)/20, 90(P)/20, 95(P)/20, 97(T)/20, 111(P)/20, 114(T)/20, 117(P)/20, 122(P)/20, 134(P)/20, 135(T)/20, 136(T)/20, 139(P)/20, 140(P)/20, 149(P)/20, 156(P)/20, 160(T)/20, 176(P)/20, 190(P)/20, 191(P)/20, 04(T)/21, 05(P)/21, 06(T)/21, 13(T)/21, 14(T)/21, 15(T)/21, 20(P)/21, 23(T)/21, 24(T)/21 and 28(T)/21.

Cancelled: 137(T)/18, 93(T)/19, 120(T)/20, 157(P)/20, 158(T)/20, 174(T)/20 and 22(T)/21.

PART – III

CORRECTIONS TO SAILING DIRECTIONS

Nil

PART – IV

MARINE INFORMATION

NORTHERN GULF

IRAQ. Khawr Az Zubayr

Navcent reported limpet mine was placed on the hull of a vessel while in the vicinity of the Khawr Az Zubayr anchorage on 31 December 2020. Vessel recently visited the anchorage are advised to conduct frequent visual checks of their hull above and where possible, below the water line. Vessel crew remain vigilant and may report any suspicious small boat activity or unidentifiable floating objects to “ukmcc-mso@mod.gov.uk and cusnc.ncags_bw@me.navy.mil”

BA Charts Affected 1228 And 2884

Source: Navarea IX warning 002 of 2021.

NP77, Vol D Edition 2020, Weekly Edition No. 8, Dated 25 February 2021.
 Last Updates: Weekly Edition No. 7, dated 18 February 2021.

D1546-1 ES, I, 01041	- Ldg Lts 283-5°. Rear. 0-75M from front. On SW End of Argoños Bridge *	43 26-52 N 3 28-60 W	Oc(2)W 5s	12	11	○ on metal framework	<i>ec 1, lt 0-7, ec 1, lt 2-3.</i> Vis 4° each side of leading line. TE 2020 *
D1631-24 ES, I, 02126	- El Emballo. Centre	43 35-60 N 5 55-93 W	Fl(2)R 7s	4	3	Red □ on red pile 4	<i>fl 0-5, ec 1-5, fl 0-5, ec 4-5.</i> TE 2020 *
D1633-25 ES, I, 02320	- Astillero IPSA Bn	43 34-05 N 5 55-15 W	Fl(2)R 7s	8	1	Red □ on red post	<i>fl 0-5, ec 1-5, fl 0-5, ec 4-5.</i> TE 2020 *
D1819 ES, I, 04200	- Puerto de Castiñeira. Breakwater. Head	42 31-79 N 8 59-76 W	Fl(2)WR 7s	10	3	Red round tower 6	<i>fl 0-5, ec 1-5, fl 0-5, ec 4-5.</i> W263°-270°(7°), R270°-263°(353°). TE 2020 *
D2028-4 PT, I, 65	- Angeiras. Shelter Access Ldg Lts 042°. Front. No. 1	41 15-89 N 8 43-64 W	Oc R 6s	11	6	Red post, white bands 5	<i>ec 2</i> *
D2682-4 PT, I, 785	- Porto das Velas. Anchorage Lts in line 304-3°. Front	38 40-69 N 28 12-45 W	Iso R 5s	12	6	Red column, white bands 9	TE 2020 *
D6795 *	- Likoni Floating Bridge *	4 04-37 S 39 39-41 E *	Fl G 5s *	Pile *	.. *
D6795-1 *	- Likoni Floating Bridge *	4 04-45 S 39 39-35 E *	Fl R 5s *	Pile *	.. *
D7448-11 *	KING SALMAN COMPLEX - N Breakwater Head. A 13 *	27 32-89 N 49 16-69 E *	Oc G 4s *	Green △ on green beacon *	.. *
D7448-12 *	- E Breakwater Head. A 14 *	27 32-67 N 49 16-91 E *	Oc R 4s *	Red □ on red beacon *	.. *
D7448-13 *	- N Breakwater. A 15 *	27 32-50 N 49 16-38 E *	Iso G 2s *	Green △ on green beacon *	.. *
D7448-14 *	- E Breakwater. A 18 *	27 31-87 N 49 16-40 E *	Q R 1s *	Red □ on red beacon *	.. *
D7448-15 *	- E Breakwater. A 17 *	27 30-83 N 49 16-41 E *	Fl Y 5s *	Yellow × on yellow beacon *	.. *