



PAKISTAN NOTICES TO MARINERS

WEEKLY EDITION 09

Notice: 31 – 34(P)/21

06 MAR 2021

Copies of these Notices can be obtained gratis from Mercantile Marine Department and PN Chart Depot / NAVAREA IX Headquarters, 11 Liaquat Barracks Karachi. The same can be downloaded from web: www.paknavy.gov.pk/hydro.

CONTENTS

- I NOTICES TO MARINERS
- II REPRINTS OF RADIO NAVIGATIONAL WARNINGS
- III CORRECTIONS TO SAILING DIRECTIONS
- IV MARINE INFORMATION

Mariners are requested to inform the Hydrographic Department, Naval Headquarters, 11 Liaquat Barracks, Karachi, Pakistan, immediately on the discovery of new dangers, or suspected dangers to navigation and of changes or defects in aids to navigation noticed in NAVAREA IX and of shortcomings in PAK charts or publications.

Tel : + 92-21-48506151
+ 92-21-48506152
Fax : + 92-21-99201623
+ 92-21-35867737

E-mail : hydropk@paknavy.gov.pk
hydropk@gmail.com

Web : www.paknavy.gov.pk/hydro.

MUHAMMAD KHALID
Commodore
Hydrographer

Hydrographic Department, Naval Headquarters, 11 Liaquat Barracks, Karachi 75530, PAKISTAN

PART – I
NOTICES TO MARINERS

31*/21 UNITED ARAB EMIRATES - Depths.

BA Chart 2444 (INT 7239) [*previous update 6277/20*] WGS84 DATUM

Insert	depth, 14 ₄ , enclosed by 15m contour	25° 07′.13N., 52° 54′.42E.
	depth, 19 ₁ , enclosed by 20m contour	24° 58′.53N., 53° 02′.23E.
	depth, 19 ₇ , enclosed by 20m contour	24° 56′.51N., 53° 02′.63E.

BA Chart 2837 (INT 7017) [*previous update 419/21*] WGS84 DATUM

Insert	depth, 19 ₁ , and extend 20m contour NW to enclose	24° 58′.5N., 53° 02′.2E.
--------	---	--------------------------

BA Chart 2889 (INT 7211) [*previous update 6277/20*] WGS84 DATUM

Insert	depth, 19 ₁ , enclosed by 20m contour	24° 58′.5N., 53° 02′.2E.
--------	--	--------------------------

BA Chart 3178 (INT 7226) [*previous update 6277/20*] WGS84 DATUM

Insert	depth, 19 ₁ , enclosed by 20m contour	24° 58′.53N., 53° 02′.23E.
	depth, 19 ₇ , enclosed by 20m contour	24° 56′.51N., 53° 02′.63E.
	depth, 8 ₄ , and extend 10m contour SE to enclose	24° 26′.16N., 53° 22′.87E.

BA Chart 3179 (INT 7229) [*previous update 714/21*] WGS84 DATUM

Insert	depth, 14 ₄ , enclosed by 15m contour	25° 07′.13N., 52° 54′.42E.
	depth, 19 ₁ , enclosed by 20m contour	24° 58′.53N., 53° 02′.23E.
	depth, 19 ₇ , enclosed by 20m contour	24° 56′.51N., 53° 02′.63E.
	depth, 8 ₄ , and extend 10m contour SE to enclose	(a) 24° 17′.84N., 52° 40′.47E.
Delete	depth, 9 ₇ , close NW of:	(a) above
Insert	depth, 4 ₉ , and extend 5m contour N to enclose	(b) 24° 17′.22N., 52° 44′.52E.
Delete	depth, 8 ₂ , close NW of:	(b) above

BA Chart 3413 (INT 7227) (Panel D, Jazīrat Dās) [*previous update 664/21*] WGS84 DATUM

Insert	depth, 14 ₄ , enclosed by 15m contour	(a) 25° 07′.13N., 52° 54′.42E.
Delete	depth, 16 ₁ , close E of:	(a) above

BA Chart 3413 (INT 7227) (Panel C, Approaches to Jazīrat Dās) [*previous update 664/21*] WGS84 DATUM

Insert	depth, 14 ₄ , enclosed by 15m contour	25° 07′.13N., 52° 54′.42E.
--------	--	----------------------------

BA Chart 3778 [*previous update 714/21*] WGS84 DATUM

Insert	depth, 8 ₄	(a) 24° 17′.84N., 52° 40′.47E.
Delete	depth, 9 ₄ , close SW of:	(a) above

BA Chart 3779 [*previous update 284/21*] WGS84 DATUM

Insert	depth, 8 ₄ , and extend 10m contour NW to enclose	(a) 24° 17′.84N., 52° 40′.47E.
Delete	depth, 10, close SE of:	(a) above
Insert	depth, 4 ₉ , enclosed by 5m contour	24° 17′.22N., 52° 44′.52E.

BA Chart 3780 [*previous update 714/21*] WGS84 DATUM

Insert	depth, 8 ₄ , and extend 10m contour NW to enclose	(a) 24° 17′.84N., 52° 40′.47E.
Delete	depth, 10, close SE of:	(a) above
Insert	depth, 4 ₉ , and extend 5m contour NW to enclose	24° 17′.22N., 52° 44′.52E.

Source: Admiralty Notice to Mariners No. 892*/2021.

32/21 EGYPT - Red Sea Coast - Depth. Marine Reserves.

BA Chart 2375 (INT 7132) [*previous update 3543/20*] WGS84 DATUM

Insert	depth, 21 ₅	27° 17′.49N., 33° 52′.94E.
	limit of marine reserve, TTTT, MR TTTT, joining:	(a) 27° 17′.37N., 33° 57′.00E.
		27° 15′.00N., 33° 57′.00E.
		27° 15′.00N., 33° 55′.73E.
		and
		27° 15′.00N., 33° 54′.38E.

Delete former limit of marine reserve, TTTT, MR TTTT, joining:

- (b) 27° 15' 00N., 33° 50' 40E.
- (a) above
- (b) above

Source: Admiralty Notice to Mariners No. 894/2021.

33/21 KUWAIT - Wreck.

BA Chart 1229 (INT 7285) [previous update 1748/19] WGS84 DATUM

Insert  29° 44' 72N., 48° 35' 10E.

Chart 1235 (INT 7289) [previous update 5630/20] WGS84 DATUM

Insert  29° 44' 72N., 48° 35' 10E.

Source: Admiralty Notice to Mariners No. 990/2021.

34(P)/21 BAHRAIN - Submarine power cables.

1.

<i>Update</i>	<i>Feature</i>	<i>Position</i>
Insert	submarine power cable, joining:	26° 12' 121N., 50° 39' 474E.
		26° 12' 090N., 50° 39' 400E.
		26° 11' 960N., 50° 38' 720E.
		26° 11' 770N., 50° 38' 390E.
		26° 11' 620N., 50° 38' 200E.
		26° 11' 540N., 50° 37' 980E.
		26° 11' 380N., 50° 37' 850E.
		26° 11' 254N., 50° 37' 731E.
		and
		26° 12' 140N., 50° 39' 480E.
		26° 11' 990N., 50° 38' 710E.
		26° 11' 790N., 50° 38' 370E.
		26° 11' 650N., 50° 38' 180E.
		26° 11' 560N., 50° 37' 960E.
		26° 11' 400N., 50° 37' 810E.
		26° 11' 263N., 50° 37' 699E.
		and
		26° 11' 099N., 50° 37' 428E.
		26° 11' 129N., 50° 37' 481E.

BA Chart affected - 8042

Source: Admiralty Notice to Mariners No. 889(P)/2021.

PART – II
RADIO NAVIGATIONAL WARNINGS

078/21. SOUTHERN GULF. U A E. Charts BA 2858, 3179 and 3780. North Channel buoy at the location 24-29.54N, 052-41.63E reported unlit. Vessels are to proceed with caution whilst transiting this area.

079/21. CENTRAL GULF. Qatar. Charts BA 2523, 2847, 2858 and 2886. ‘Seafox Burj’ Rig will be moved by vessels ‘MMA Chieftain’, ‘Lanpan 30’ and ‘AOS Triumph’. The towage will commence from its current position 26-37.13N, 052-04.08E to position 25-53.96N, 051-38.50E. Duration of operation from 01 to 07 Mar 21. Mariners are requested to navigate with caution and give wide berth.

080/21. CENTRAL GULF. Qatar. Charts BA 2523, 2847, 2858 and 2886. ‘QMS Sentinel’ Rig will be moved by vessel ‘Halul 25’. The towage will commence from its current position Nkom Pier3 25-53.767N, 051-38.517E to position WHP-5 RGA 26-35.518N, 052-06.700E. The rig move travel distance is approximately 44.5 NM at a transit average speed of 3 knots. Mariners are requested to navigate with caution and give wide berth.

081/21. SOUTHERN GULF. U A E. Charts BA 2837, 2858 and 2889. Seismic survey is being conducted in area bounded by:

Crew 209 Area:
24-08.31N 051-48.16E
24-08.31N 051-57.42E
24-03.11N 051-57.42E
24-03.11N 051-48.16E

Crew 252 Area:
Node Spread Area
25-23.42N 054-12.55E
25-23.19N 054-22.09E
25-18.18N 054-27.59E
25-18.52N 054-12.42E

Shooting Area
 25-26.60N 054-16.98E
 25-26.57N 054-18.34E
 25-21.98N 054-23.41E
 25-15.01N 054-23.20E
 25-15.16N 054-16.67E

Crew 253 Area:
 Source Operation Area
 25-03.03N 053-05.65E
 25-03.03N 053-14.57E
 24-58.02N 053-14.57E
 24-58.02N 053-05.65E

Receiver Operation Area
 25-06.08N 053-09.27E
 25-06.08N 053-14.51E
 24-54.87N 053-14.51E
 24-54.87N 053-09.27E

Mariners are advised to navigate with caution and to maintain a listening watch on channels 16/72 and 76. Cancel this message on 072359 UTC Mar 2021.

- 082/21. GULF OF TADJOURA.** Djibouti. Charts BA 6, 264, 265 and 4071. Hydrographic instrument moored by French hydrographic ship 'Beautemps Beaupre' from 01 Mar to 30 Mar 2021 in position 11-39.06N 043-07.97E. Mariners are requested to give wide berth. Cancel this message on 31 Mar 2021.
- 083/21. SELF CANCELLING.** Cancel Navarea IX warning 069 of 2021.
- 084/21. SOUTHERN GULF.** UAE. Charts BA 2837, 2858, 2889 and 3179. 'No Go Area' has been established for offshore island project, channel dredging and turning basin within the below coordinates.

Offshore Island Project:
 24-21.55 N 052-38.24 E
 24-21.90 N 052-38.95 E
 24-20.82 N 052-39.50 E
 24-20.57 N 052-38.69 E

Channel Dredging & Turning Basin:
 24-19.20 N 052-38.62 E
 24-19.02 N 052-39.63 E
 24-17.87 N 052-39.11 E
 24-18.16 N 052-38.49 E

Mariners are requested to navigate away from the "No Go Area" and to maintain continuous listening on VTIS VHF Ch 21. Cancel Navarea IX warning 277 of 2020.

- 085/21. SELF CANCELLING.** Buoy restored to normal. Cancel Navarea IX warning 078 of 2021.
- 086/21. NORTHERN GULF.** Kuwait. Charts BA 1223, 2847, 2858, 2884 and 3773. Metrological tower reported collapsed in position 28-46.0N 048-26.1E. Obstruction visible above lowest water may considered a navigational hazard. Pole of 3.2 meter height with white quick flashing light has been installed temporary on the remains of the tower with total height of the light 06 meter above lowest low tide. Mariners are requested to navigate with extreme caution while transiting in this area. Cancel Navarea IX warning 221/2019 and 025/2021.
- 087/21. SOUTHERN GULF.** UAE. Charts BA 2888, 3174 and 3404 RAK approach buoy in position 25-50.50N, 055-55.90E reported unlit. Mariners are requested to navigate with caution.
- 088/21. CENTRAL GULF.** Qatar. Charts BA 2523, 2837, 2858, 2886 and 3950. 24 hours ROV campaign in progress by vessel 'DSV Halul 49' for several platforms in the area bounded by following positions:
 - a. 26-43.55N 051-50.86E
 - b. 26-43.55N 052-04.14E
 - c. 26-26.81N 052-04.14E
 - d. 26-26.81N 051-50.86E

Mariners are requested to navigate with caution and give wide berth. Cancel Navarea IX warning 008 of 2021.

- 089/21. PAKISTAN.** Sonmiani Bay. Charts PAK 22, 33, 57 (INT 751), BA 38, 39 and 707 Firing practice with live ammunition by Air Defence units will be carried out from 08 to 22 Mar 2021 between 0200-1800 UTC in area bounded by an arc of radius 25 NM centered at position 25-11N 066-45E between 220 to 320 degrees clockwise. Ships and craft are to keep well clear of assigned danger area on above specified schedule. Cancel this message on 221900 UTC Mar 2021.
- 090/21. RED SEA.** Saudi Arabia. BA Charts 158, 2658 and 2659. Firing practice will be carried out between 0300 to 1400 UTC on 09 to 10 Mar 2021 in area bounded by:
 - 21-06.00N 038-58.50E
 - 21-05.58N 039-07.00E

21-13.40N 038-58.50E
21-13.50N 039-06.20E

Ships and craft are to keep well clear of assigned danger area on above specified schedule. Cancel this message on 101500 UTC Mar 2021.

091/21. SELF CANCELLING. Operation completed. Cancel Navarea IX warning 059 of 2021.

092/21. SELF CANCELLING. Navarea IX Warnings inforce:

2019 Series: 096, 126, 146, 381 and 393.

2020 Series: 004, 018, 035, 078, 150, 178, 184, 209, 215, 222, 225, 238, 266, 270, 336, 350, 379, 384, 387, 394, 406, 408, 409, 431, 449, 451 and 466.

2021 Series: 002, 003, 024, 033, 049, 050, 066, 072, 073, 074, 075, 076, 079, 080, 081, 082, 084, 086, 087, 088, 089 and 090.

COASTAL WARNING

025/21. PAKISTAN. Sonmiani Bay. Charts PAK 22, 33, 57 (INT 751), BA 38, 39 and 707 Firing practice with live ammunition by air Defence units will be carried out from 08 to 22 Mar 2021 between 0200-1800 UTC in area bounded by an arc of radius 25 NM centered at position 25-11N 066-45E between 220 to 320 degrees clockwise. Ships and craft are to keep well clear of assigned danger area on above specified schedule. Cancel this message on 221900 UTC Mar 2021.

026/21. SELF CANCELLING. Navigational Warnings Inforce:

2019 Series: 111 and 113.

2020 Series: 057, 065, 110, 125, 133 and 143.

2021 Series: 012, 022, 023 and 025.

WPGs Inforced 2021: 11, 12 and 13

WPGs cancelled 2021: Nil

PART – III

CORRECTIONS TO SAILING DIRECTIONS

Nil

PART – IV

MARINE INFORMATION

Nil

NP77. Vol D Edition 2020. Weekly Edition No. 9, Dated 04 March 2021.

Last Updates: Weekly Edition No. 8, dated 25 February 2021.

D1546-1 ES, I, 01041	- Ldg Lts 283-5°. Rear. 0-75M from front. On SW End of Argoños Bridge	43 26-52 N 3 28-60 W	Oc(2)W 5s	12	11	○ on metal framework	<i>ec 1, lt 0-7, ec 1, lt 2-3.</i> Vis 4° each side of leading line *
D1819 ES, I, 04200	- Puerto de Castiñeira. Breakwater. Head	42 31-79 N 8 59-76 W	Fl(2)WR 7s	10	3	Red round tower 6	<i>fl 0-5, ec 1-5, fl 0-5, ec 4-5.</i> W263°-270°(7°), R270°-263°(353°) *
D6002 ZA, ., Z5865	- N Breakwater. Head	34 03-05 S 18 20-96 E	Fl G 2s	5	2	Yellow hut	TE; Fl W 2s (T) 2021 *
D7575-34	- LNG Terminal Approach Channel. Dir Lt 259°	28 43-71 N 48 24-42 E	Dir WRG	13	18	..	F G256-5°-257-5°(1°). F W257-5°-260-5°(3°). F R260-5°-261-5°(1°) ALRS Vol 2 Station 77950 *
*	--	..	Racon	* * * *