



PAKISTAN NOTICES TO MARINERS

WEEKLY EDITION 14

Notice: 50 – 51/21

10 APR 2021

Copies of these Notices can be obtained gratis from Mercantile Marine Department and PN Chart Depot / NAVAREA IX Headquarters, 11 Liaquat Barracks Karachi. The same can be downloaded from web: www.paknavy.gov.pk/hydro.

CONTENTS

- I NOTICES TO MARINERS
- II REPRINTS OF RADIO NAVIGATIONAL WARNINGS
- III CORRECTIONS TO SAILING DIRECTIONS
- IV MARINE INFORMATION

Mariners are requested to inform the Hydrographic Department, Naval Headquarters, 11 Liaquat Barracks, Karachi, Pakistan, immediately on the discovery of new dangers, or suspected dangers to navigation and of changes or defects in aids to navigation noticed in NAVAREA IX and of shortcomings in PAK charts or publications.

Tel : + 92-21-48506151
+ 92-21-48506152
Fax : + 92-21-99201623
+ 92-21-35867737

E-mail : hydropk@paknavy.gov.pk
hydropk@gmail.com

Web : www.paknavy.gov.pk/hydro.

MUHAMMAD KHALID
Commodore
Hydrographer

Hydrographic Department, Naval Headquarters, 11 Liaquat Barracks, Karachi 75530, PAKISTAN

PART – I
NOTICES TO MARINERS

50/21 IRAN - Buoy.

BA Chart 2441 (INT 7233) [*previous update 4995/20*] WGS84 DATUM

Delete  Fl(5)10s 25° 59'·33N., 55° 00'·87E.

BA Chart 2887 (INT 7232) [*previous update 1366/21*] WGS84 DATUM

Delete  Fl(5)10s 25° 59'·3N., 55° 00'·9E.

BA Chart 2888 (INT 7199) [*previous update 1366/21*] WGS84 DATUM


Delete  Fl(5)10s 25° 59'·3N., 55° 00'·9E.

Source: Admiralty Notice to Mariners No. 1389/2021.

51*/21 UNITED ARAB EMIRATES - Submarine pipeline. Legend.


Note: Former Notice 1731(P)/17 (PAK Notice 56(P)/17) is cancelled.

BA Chart 2889 (INT 7211) [*previous update 892/21*] WGS84 DATUM

Insert submarine pipeline, , joining: 24° 23'·1N., 53° 23'·1E.
 (a) 24° 24'·3N., 53° 22'·0E.
 (b) 24° 26'·5N., 53° 22'·8E.
 24° 27'·4N., 53° 22'·5E.

legend, *Gas*, along: (a)-(b) above

BA Chart 3178 (INT 7226) [*previous update 892/21*] WGS84 DATUM

Insert submarine pipeline, , joining: 24° 27'·45N., 53° 22'·46E.
 24° 26'·82N., 53° 22'·74E.
 (a) 24° 26'·49N., 53° 22'·77E.
 (b) 24° 24'·49N., 53° 21'·99E.
 24° 24'·07N., 53° 22'·05E.
 24° 23'·05N., 53° 23'·06E.

legend, *Gas (see Note)*, along: (a)-(b) above

Source: Admiralty Notice to Mariners No. 1425*/2021.

PART – II
RADIO NAVIGATIONAL WARNINGS

144/21. CENTRAL GULF. Qatar. Charts BA 2523, 2837, 2858, 2883 and 2886. ‘Hakuryu 12’ rig will be located at appraisal well ‘AP-28’ in position 26-31.36N, 051-50.36E till 01 July 2021. Mariners are requested to navigate with caution and give wide berth.

145/21. NORTHERN GULF. Kuwait. BA Charts 1235, 2884 and 3773. KU Charts: 1, 2, 3. Firing practice with live ammunition by coast guard will be carried out on 04 and 05 Apr 2021 in area bounded by:

- 29-32.00N 048-20.40E
- 29-42.50N 048-32.50E
- 29-34.80N 048-41.20E
- 29-24.00N 048-29.00E

Ships and craft are to keep well clear of assigned danger area on above specified schedule. Cancel this message on 060001 UTC Apr 2021.

146/21. SOUTHERN GULF. U A E. Charts BA 2837, 2858 and 2889 Seismic survey is being conducted in area bounded by:

- Crew 209 Area:
- 24-09.97N 051-56.64E
 - 24-09.97N 052-10.76E
 - 24-04.19N 052-10.76E
 - 24-04.19N 051-56.64E

Crew 252 Area:
Node Spread Area

25-23.86N 053-50.77E
25-23.60N 054-03.79E
25-18.66N 054-03.66E
25-18.92N 053-50.65E

Shooting Area:

25-27.06N 053-55.14E
25-26.97N 053-59.54E
25-15.50N 053-59.25E
25-15.58N 053-54.86E

Crew 253 Area:
Source Operation Area:

24-48.77N 053-05.38E
24-48.77N 053-17.88E
24-44.88N 053-17.88E
24-44.88N 053-05.38E

Receiver Operation Area:

24-51.79N 053-08.99E
24-51.79N 053-14.28E
24-41.75N 053-14.28E
24-41.75N 053-08.99E

Mariners are advised to navigate with caution and to maintain a listening watch on channels 16/72 and 76. Cancel this message on 112359 UTC Apr 2021.

147/21. GULF OF OMAN. Oman. Charts BA 2851, 2858 and 4705. Oman Chart OM 1, 1214, 1215 and 3505. Naval gunnery exercise will be carried out on 06 Apr 2021 between 0330 to 1400 UTC in area bounded by:

- a. 24-18.00N 057-40.00E
- b. 24-00.00N 058-39.00E
- c. 23-51.75N 058-20.00E
- d. 23-51.75N 058-06.00E
- e. 24-09.00N 057-40.00E

Ships and craft are to keep well clear of assigned danger area on above specified schedule. Cancel this message on 082359 UTC Apr 2021.

148/21. PAKISTAN. Sonmiani Bay. Charts PAK 22, 33, 57 (INT 751), 58 (INT 7019), BA 38 and 707. Firing practice with live ammunition will be carried out between 0400 to 1130 UTC on 10 and 11 Apr 21 in area bounded by:

25-10.88N 066-48.11E
25-14.33N 066-46.52E
24-41.82N 066-16.96E
25-17.56N 066-01.94E

Ships and craft are to keep well clear of assigned danger area on above specified schedule. Cancel this message on 111230 UTC Apr 21.

149/21. SOUTHERN GULF. UAE. Charts BA 2837, 2888 and 3174. Semi-submersible operation will be conducted by vessels 'M/V Trustee' and 'M/V Blue Marlin' at Sqar Port special project anchorage positions 26-01.11N 055-59.52E and 26-00.09N 055-58.86E from 06 to 14 Apr 21. Mariners are requested to navigate with caution and keep 0.7 NM exclusion zone around the above positions. Cancel this message on 15 Apr 21. Cancel Navarea IX warning 270 of 2020.

150/21. CENTRAL GULF. Qatar. Charts BA 2523, 3783, 3787 and 3950. 'AOS Emerald' and 'MMA Chieftain' will be engaged in towing of partially submerged hose of length 500 meters from port of Mesaieed 24-56.70N 051-35.20E to Al Shaheen FSO 26-40.20N 051-53.50E starting from 070300 to 151800 UTC Apr 21. Mariners are requested to navigate with caution and keep minimum clearance of 1.5 NM. Cancel this message on 151900 UTC Apr 21.

151/21. SOUTHERN GULF. UAE. Charts BA 2837, 2889, 3179 and 3951. Characteristics of JBD-05A buoy in position 24-36.80N 052-35.76E has been changed to south cardinal Q(6)+LFl 15s. Mariners cautioned.

151/21. SOUTHERN GULF. UAE. Charts BA 2837, 2889, 3179 and 3951. Characteristics of jbd-05a buoy in position 24-36.80N 052-35.76E has been changed to south cardinal Q(6)+LFl 15s. Mariners cautioned.

152/21. SOUTHERN GULF. UAE. Charts BA 2837, 2858, 2889 and 3179 Yellow marker buoys with lantern have been installed temporarily at the 'No Go Area' for offshore island project as follow.

a. Marker Buoys:

MB1 24-17.79N 052-39.06E
 MB2 24-17.58N 052-39.44E
 MB3 24-17.24N 052-39.21E
 MB4 24-16.89N 052-38.97E
 MB5 24-16.53N 052-38.73E
 MB6 24-16.77N 052-38.38E

b. Temporary mooring anchor:

24-17.43N 052-38.67E
 24-17.55N 052-38.75E
 24-17.66N 052-38.82E
 24-17.59N .052-38.95E
 24-17.48N .052-38.87E
 24-17.36N .052-38.79E

Mariners are requested to navigate away from the "No Go Area" and to maintain continuous listening on VTIS VHF Ch 21.

153/21. PAKISTAN. Approaches to Karachi. Charts PAK 5 (INT 7314) and BA 58. Submarine cable laying operation will be conducted by vessel 'Seaquest' and support barge/tug between 24-46.76N 067-03.07E to 24-40.69N 067-00.41E from 09 April 2021 till completion. Mariners are requested to navigate with caution in the area, keep clear 500 meters exclusion zone from the cable laying vessel at all times and maintain a listening watch on VHF channel 16.

154/21. CENTRAL GULF. Qatar. Charts BA 2837, 2858, 2886 and 2889. Navigation light on platform DP1 in position 25-56.43N, 052-41.42E at Al Khalij oilfield reported unlit. Mariners are requested to navigate with caution.

155/21. SELF CANCELLING. Navarea IX Warnings inforce:

2019 Series: 126, 146, 381 and 393.
 2020 Series: 004, 018, 035, 078, 150, 178, 184, 209, 215, 222, 225, 238, 266, 336, 350, 379, 384, 387, 394, 406, 408, 409, 431, 449, 451 and 466.
 2021 Series: 003, 024, 049, 050, 072, 076, 084, 086, 088, 101, 109, 116, 121, 124, 133, 136, 137, 144, 146, 148, 149, 150, 151, 152, 153 and 154.

COASTAL WARNING

043/21. PAKISTAN. Sonmiani Bay. Charts PAK 22, 33, 57 (INT 751), 58 (INT 7019), BA 38 and 707. Firing practice with live ammunition will be carried out between 0400 to 1130 UTC on 10 and 11 Apr 21 in area bounded by:

25-10.88N 066-48.11E
 25-14.33N 066-46.52E
 24-41.82N 066-16.96E
 25-17.56N 066-01.94E

Ships and craft are to keep well clear of assigned danger area on above specified schedule. Cancel this message on 111230 UTC Apr 21.

044/21. PAKISTAN. Approaches to Karachi. Charts PAK 5 (INT 7314) and BA 58. Submarine cable laying operation will be conducted by vessel 'Seaquest' and support barge/tug between 24-46.76N 067-03.07E to 24-40.69N 067-00.41E from 09 April 2021 till completion. Mariners are requested to navigate with caution in the area, keep clear 500 meters exclusion zone from the cable laying vessel at all times and maintain a listening watch on VHF channel 16.

045/21. SELF CANCELLING. Navigational Warnings Inforce:

2019 Series: 111 and 113.
 2020 Series: 057, 065, 110, 125, 133 and 143.
 2021 Series: 038, 039, 043 and 044

WPGs Inforced 2021: 19, 20 and 22
 WPGs cancelled 2021: 21

PART – III

CORRECTIONS TO SAILING DIRECTIONS

NP63 Persian Gulf Pilot (2021 Edition)

**Oman - Gulf of Oman - North-north-west of
Port Sohar - Shināş — Anchorages**

85

Paragraph 3.157 1 line(s) 6-7 *Replace by:*

Anchorage. An anchorage area for STS operations is centred on 24°45'56N 56°33'44E. An anchorage area for dhows is centred on 24°44'52N 56°30'48E.

Omani Notice 1/3/21 [NP63-No 6-Wk 14/21]

**Oman - North coast - Shamm Peninsula -
West of Hassa — Anchorage**

97

After Paragraph 3.284 1 line 7 *Insert:*

Anchorage (26°14'50N 56°17'00E), for dhows, lies W of Hassa, depths from 25 to 40 m, silt, mud and shells.

Omani Notice 1/2/21 [NP63-No 7-Wk 14/21]

PART – IV

MARINE INFORMATION

Nil