



PAKISTAN NOTICES TO MARINERS

WEEKLY EDITION 45

Notice: 133 – 134/23

11 NOV 2023

Copies of these Notices can be obtained gratis from Mercantile Marine Department and PN Chart Depot / NAVAREA IX Headquarters, 11 Liaquat Barracks Karachi. The same can be downloaded from web: hydrography.paknavy.gov.pk.

CONTENTS

- I NOTICES TO MARINERS
- II REPRINTS OF RADIO NAVIGATIONAL WARNINGS
- III CORRECTIONS TO SAILING DIRECTIONS
- IV MARINE INFORMATION

Mariners are requested to inform the Hydrographic Department, Naval Headquarters, 11 Liaquat Barracks, Karachi, Pakistan, immediately on the discovery of new dangers, or suspected dangers to navigation and of changes or defects in aids to navigation noticed in NAVAREA IX and of shortcomings in PAK charts or publications.

Tel : + 92-21-48506151
+ 92-21-48506152
Fax : + 92-21-99201623
+ 92-21-35867737

E-mail : hydropk@paknavy.gov.pk
hydrpk@gmail.com

Web : hydrography.paknavy.gov.pk.

MUHAMMAD WASIM
Captain Pakistan Navy
Dy HoP

National Hydrographic Office, Naval Headquarters, 11 Liaquat Barracks, Karachi 75530, PAKISTAN

PART – I
NOTICES TO MARINERS

133/23 SAUDI ARABIA - Red Sea Coast - Depths.**BA Chart 159 (INT 7010)** [*previous update 3913/23*] WGS84 DATUM

Insert	depth, 2 ₇ , and extend 20m contour NW to enclose	(a) 25° 15'·9N., 36° 58'·3E.
Delete	depth, 9 ₄ , close SE of:	(a) above
Insert	depth, 0 ₅ , enclosed by 20m contour	(b) 25° 12'·0N., 37° 02'·5E.
Delete	depth, 2 ₈ , close NW of:	(b) above
Insert	depth, 30 ₅ , enclosed by 50m contour	(c) 25° 08'·4N., 36° 56'·4E.
Delete	depth, 1 ₃₈ , close NW of:	(c) above
Replace	depth, 20 ₅ , enclosed by 50m contour, with depth, 0 ₇ , enclosed by 20m contour	25° 15'·4N., 36° 56'·7E.
	depth, 9 ₃ , with depth, 17 ₆ , enclosed by 20m contour	25° 12'·1N., 36° 54'·3E.
	depth, 2 ₇ , with depth, 17 ₄ , enclosed by 20m contour	25° 10'·1N., 37° 02'·2E.
	depth, 13 ₅ , with depth, 7	25° 09'·0N., 37° 06'·0E.

Source: Admiralty Notice to Mariners No: 4036/2023

134/23 EGYPT - Red Sea Coast - Radar beacon.**BA Chart 333 (INT 7135)** [*previous update 3392/23*] WGS84 DATUM

Insert	radar beacon, Racon(D), at light	28° 07'·88N., 33° 16'·52E.
--------	----------------------------------	----------------------------

BA Chart 2374 (INT 7134) [*previous update 3392/23*] WGS84 DATUM

Insert	radar beacon, Racon(D), at light	28° 07'·88N., 33° 16'·51E.
--------	----------------------------------	----------------------------

Source: Admiralty Notice to Mariners No: 4073/2023

PART – II
RADIO NAVIGATIONAL WARNINGS

414/23. CENTRAL GULF. KSA. BA Charts 3777, 3788 and 3790. Fishing boat reported sunk 26 36.25N 050 27.95E. Mariners cautioned.

415/23. SOUTHERN GULF. UAE. Charts BA 2443, 2444, 2886, 2887 and 2889. Wreck buoy 25-20.36N 053-08.98E reported unlit. Mariners cautioned.

416/23. PAKISTAN. Ras Malan. Charts PAK 23, 24, 33, 57 and BA 707. Weather/ metallic balloon flying will be conducted in area centered on 25-08.59N 065-14.50E with 36 KM all around radius from 0500 to 1300 UTC daily from 10 – 13 Nov 23. Mariners cautioned. Cancel this msg 131500 UTC Nov 23.

417/23. CENTRAL GULF. Qatar. Charts BA 2523, 2883, 2886. Mooring buoy No.4 26-41.81N 051-55.68E temporarily removed. Mariners cautioned.

418/23. Survey operation completed. Cancel Navarea IX 394/23 and this msg.

419/23. CENTRAL GULF. Qatar. Charts BA 2523, 2886, 3772, 3782, 3783, 3787, 3789 and 3950. Floating hose will be towed by vessels Sharief Falcon and SL Manakin from 24-57.50N, 051-35.60E to 26-35.50N, 052-01.99E on 09 Nov 23. Mariners cautioned. Cancel this msg 122359 UTC Nov 23.

420/23. CENTRAL GULF. Qatar. Charts BA 2523, 2883 and 2886. Geophysical survey will be conducted by vessels BGP Innovator, Sedna and Allianz starting from 10 Nov 23 in area bounded by following coordinates:

26-37.17N 051-49.49E
26-45.53N 051-57.31E
26-37.56N 052-07.07E
26-28.59N 051-58.68E
26-29.21N 051-54.11E

Mariners cautioned. Keep 2000 meter clear from vessels.

421/23. SOUTHERN GULF. UAE. Charts BA 2444, 2887 and 3413. Barge Millennium 1 and associated crafts will commence decommissioning of flare 1 and 2 from 9 Nov 23 in following positions:

Flare 1 25-10.30N 052-52.92E

Flare 2 25-10.47N 052-52.85E

Diving operation planned as part of work. Barge moored to anchors deployed around barge, extending upto 350 meters. Vessels keep well clear. Mariners cautioned and proceed at safe speed. Maintain listening watch on VHF channel 23 (Das VTIS), 12 (Das Port Control) and 16.

422/23. CENTRAL GULF. Qatar. Charts BA 2444, 2886, 3413 and 3950. Surface swimming ops for coral survey will be conducted by vessel surfer 1946 along with rigid inflatable boat starting from 11 Nov 23 in area bounded by following coordinates:

25-41.28N 052-25.05E

25-41.05N 052-25.40E

25-40.68N 052-24.98E

25-40.92N 052-24.82E

Mariners cautioned.

423/23. SELF CANCELLING. Navigational warnings inforce:

2021 series: 109, 224, 397, 399, 445, 448, 490 and 491

2022 series: 027, 039, 067, 095, 102, 112, 185, 198, 211, 220, 227, 294, 295, 311, 328, 331, 358, 443, 477, 480, 483, 489, 497, 501, 505, 506, 507 and 513

2023 series: 025, 028, 034, 058, 065, 067, 068, 070, 071, 094, 096, 102, 103, 110, 111, 116, 120, 124, 131, 135, 138, 159, 177, 190, 199, 201, 221, 226, 237, 245, 263, 266, 284, 288, 293, 297, 299, 307, 308, 314, 315, 318, 326, 337, 338, 339, 340, 341, 346, 350, 355, 359, 361, 370, 371, 372, 376, 378, 389, 395, 397, 398, 401, 402, 404, 410, 412, 414, 415, 416, 417, 419, 420, 421 and 422

COASTAL WARNING

111/23. PAKISTAN. Ras Malan. Charts PAK 23, 24, 33, 57 and BA 707. Weather/ metallic balloon flying will be conducted in area centered on 25-08.59N 065-14.50E with 36 KM all around radius from 0500 to 1300 UTC daily from 10 – 13 Nov 23. Mariners cautioned. Cancel this msg 131500 UTC Nov 23.

112/23 SELF CANCELLING. Navigational Warnings Inforce:

2022 series: 024, 027, 060, 063, 081 and 082

2023 series: 027, 050, 073, 093, 108 and 111

WPGs Inforced 2023: 41

WPGs Cancelled 2023: Nil

PART – III

CORRECTIONS TO SAILING DIRECTIONS

Nil


PART – IV

MARINE INFORMATION

Nil

NP77, Vol D Edition 2023. Weekly Edition No. 45, Dated 09 November 2023.
Last Updates: Weekly Edition No. 44, dated 02 November 2023.

D1524-45 ES, I, 00702-5	- Dique de Zierbena. Wharf AZ 1. Head	43 21-42 N 3 02-81 W *	Oc G 6s *	10	1 Green round column 4	<i>ec 2</i> *
D1526-63 ES, I, 00656-5	- Punta Sollana. Breakwater. Head	43 21-80 N 3 04-65 W	Oc(2)G 7s *	21	1 Green column 6	<i>ec 1, lt 1, ec 1, lt 4</i> *
D1530 ES, I, 00770	- Santurce. Boat Harbour. Head	43 19-81 N 3 01-78 W	Oc(2)G 7s *	5	1 Green post 4	<i>ec 1, lt 1, ec 1, lt 4</i> *
D2300 ES, I, 08496	- Ayamonte. Fishing Harbour. Entrance. S Side	37 12-59 N 7 24-58 W	Q G 1s	..	1 Green truncated conical tower	TE; replaced by light buoy (T) 2023 *
D2321 ES, I, 08710	- Juan Carlos I. Breakwater. Head	37 06-49 N 6 49-94 W	Fl(3+1)WR 20s	29	W12 White round tower, R 9 red band 27	<i>(fl 0-8, ec 2-2) x 2, (fl 0-8, ec 6-2) x 2.</i> W165°-100°(295°), R100°-125°(25°)
	----	..	Racon	ALRS Vol 2 Station 68300
	----	..	AIS	MMSI No 992241107 *
D2349-13 ES, I, 09425 ES, I, 09426	- Faginado. No 2. Dir Lt 328° ---	36 49-77 N 6 21-39 W ..	Dir W 4s Fl(2)R 7s *	3 3	3 Red and white post ..	Iso W326-8°-329-2°(2-4°). Shown 24 hours <i>fl 0-5, ec 1-5, fl 0-5, ec 4-5</i> *
D2349-28 ES, I, 09475	- Casa de Brenes. Ldg Lts 010°. Front. "B" -----	36 53-69 N 6 20-79 W ..	Q W 1s <i>By day</i> Iso W 4s	9 ..	3 Red post, white diagonal stripes 5 3 ..	Vis 4° each side of bearing. Rear D2349-281. Sync with rear .. *
D2349-281 ES, I, 09476	- Casa de Brenes. Ldg Lts 010°. Rear. 613m from front	36 53-99 N 6 20-72 W	Dir Iso W 4s *	13	3 Red and white ▽ on round metal tower 10	Vis 4° each side of bearing. Shown 24 hours. Front D2349-28. Sync with front *
D2349-46 ES, I, 09630 ES, I, 09630-1	- C Ldg Lts 181-5°. Front ---	36 59-07 N 6 09-93 W ..	Q W 1s Fl Y 5s *	6 5	3 White □, red bands, on round metal tower 7 3 ..	W174°-189°(15°). Shown 24 hours. Sync with D2349-47 <i>fl 0-5</i> *
D2349-47 ES, I, 09631	- C Ldg Lts 181-5°. Rear. 213m from front	36 58-96 N 6 09-93 W	Iso W 4s *	10	3 White □, red bands, on round metal tower 10	W174°-189°(15°). Shown 24 hours. Sync with D2349-46 *
D2349-5 ES, I, 09660 ES, I, 09660-1	- Dir Lts 263-5°. Front. Caño del Hambre ----	37 01-56 N 6 09-32 W ..	Q W 1s Fl(3)Y 9s *	7 8	3 Metal tower with red panel, white stripe 7 3 Metal tower with yellow and white panel 7	W256°-271°(15°) <i>(fl 0-5, ec 1-5) x 2, fl 0-5, ec 4-5</i> *
D2349-51 ES, I, 09661	- Dir Lts 263-5°. Rear. 142m from front. Caño del Hambre	37 01-56 N 6 09-38 W	Iso W 4s *	10	3 Metal tower with red panel, white stripe 10	W256°-271°(15°) *
D2349-9 ES, I, 09990-1	- Don Isaías. Dir Lt 039-1° *	37 19-06 N 6 00-76 W	Dir W 4s	..	3 White column, red bands	Iso W038°-040-2°(2-2°). Shown 24 hours *

D2349-935 ES, I, 09992 ES, I, 09992-1	- Esclusa. Beacon Victoria (Eje de entrada). Dir Lt 065.5°	37 19-34 N 5 59-81 W	Dir W 4s	14	1 White and yellow column, red  white stripe 3	Iso W062°-069°(7°). Shown 24 hours
	- - - -	. .	Fl(4)Y 11s	14	1 White and yellow column 3	(fl 0.5, ec 1.5) x 3, fl 0.5, ec 4.5. Y069°-203°(134°)
	*					*
D2388-3 ES, I, 10630-6 *	- Castillo de Sancti Petri. Pontoon Access. Port *	36 22-80 N 6 13-11 W *	Fl Y 3s *	1 *	1 Yellow x on yellow pile *	fl 0.5 *
D2388-5 ES, I, 10630-5 *	- Castillo de Sancti Petri. Pontoon Access. Starboard *	36 22-79 N 6 13-11 W *	Fl Y 3s *	1 *	1 Yellow x on yellow pile *	fl 0.5 *
D2806 ES, I, 12365	- Puerto de la Luz (Las Palmas). Puerto Interior. Ferry Wharf. SE Head	28 08-34 N 15 25-28 W	Q(4)R 10s	7	3 Red post on red round tower 5	. . *